

MARKET CODE CHANGE PROPOSAL				Form Version 1.2	
Market Code Change Proposal Ref (Assigned by CMA)		MCCP062 (Issue 186, 193)		Version Number (Assigned by CMA) 1.0	
Title of the change		Sewer SPID Supply Point Effective Date T015			
1. GENERAL DETAILS		Proposers are reminded that Change Proposals must be countersigned by the Proposer's Contract Manager or the person designated by the signatory to the Market Code Framework /Accession Agreement			
Company:	CMA			Org ID if assigned:	
Signature:				Date:	11/08/2010
Contact details for the Proposal - the contact should be able to deal with queries regarding this Market Code Change Proposal and need not be the same person who has countersigned the Change Proposal					
		Name:	Gary Craig		
		Email Address:	Gary.craig@cmascotland.co.uk		
		Telephone and or Mobile:	01786468867		
Number of Associated Documents	01	Name or link to documents	Marked-up CSD0104		
If the MCCP will also affect the Operational Code, an OCCP must also be raised					
Indicate if there is an associated OCCP		NO		OCCP Ref: CMA use only	
URGENT – IF PROPOSER HAS INDICATED THIS MCCP IS URGENT, STATE REASONS HERE The CMA Chief Executive will review this information and make a decision as to whether to take this MCCP forward as urgent as defined as under Market Code Part 8.7.1 (ii) (e)					
Urgent – Required for September Software Release					
2. MARKET CODE CHANGE PROPOSAL DETAILS					
A	ISSUE or DEFECT WHICH THIS MARKET CODE CHANGE PROPOSAL SEEKS TO ADDRESS required under Market Code Part 8.7.1 (ii) (b)				

CMA Issue 186, 193 - T015.0 for SS Supply Point using Transaction Date instead of Effective From Date

1. When the Central Systems process a T015.0 Disconnection Declaration for a WS supply point and a TDISC (Temporary Disconnection) is stated, then the associated SS supply point will receive the disconnection as well. Likewise with a REC (Reconnection) specified.

Currently the Disconnection/Reconnection Process only uses the stated T015.0 Effective From date for the WS supply point. The associated SS supply point is temp disconnected/reconnected on the present date i.e. the date the transaction is processed.

2. The Central System will be changed so the Disconnection/Reconnection Process will use the Effective From Date of the T015.0 when making any updates relating to Temporary Disconnection or Reconnection of a SS supply point. . The system will no longer undertake the disconnection of the SS Supply Point at the same time as the WS Supply point. The WS Supply Point and the SS Supply point will need to be disconnected separately. Even though no physical disconnection will occur a logical disconnection will have to occur for the SS SPID.

B

DESCRIPTION OF NATURE AND PURPOSE OF THE CHANGE AND HOW IT MEETS THE MARKET CODE OBJECTIVES AND PRINCIPLES FOR THE MARKET DOCUMENTS required under Market Code Part 8.7.1 (ii) (c)

The Proposer should indicate which principles the change supports and whether there is any adverse effect on any principle(s).

- | | |
|--|---|
| a) Proportionality | e) Barriers to entry |
| b) Transparency | f) Customer contact |
| c) Simplicity, cost-effectiveness and security | g) Non-discrimination |
| d) Non-exclusivity | h) Not detrimental to Scottish Water's core functions |

This MCCP supports transparency and provides clarity for participants.

C

IMPACT – required under Market Code Part 8.7.1 (ii) (d), (f) and (g)

The Proposer should indicate the sections of the Market Code affected, whether the Operational Code or CSDs, Wholesale Services Agreement or License is impacted and whether there are likely to be implications on:

- | | |
|----------------------------|---------------------------------------|
| a) Central Systems | c) CMA Interfaces/ Processes |
| b) Trading Party's systems | d) Trading Party's business processes |

Scottish Water's business processes will be impacted by this change. Even although no physical disconnection will occur a logical disconnection will have to occur for the SS SPID. The process will now involve undertaking the action for the WS Supply Point and the SS Supply point separately. Previously this was a single action.

D

DRAFT LEGAL TEXT – required under Market Code Part 8.7.1 (ii) (d)

CSD0104 will be updated to reflect the change. The CSD is attached.

3. IMPLEMENTATION DETAILS - PROPOSED IMPLEMENTATION DATE OR LEAD TIME

Timescale must not overlap with the period of consultation with the Commission and should take account of the impacts identified in Section C. Any quoted lead time should commence from date of approval.

27 September 2010

4. ANY OTHER COMMENTS

The full text of the objectives and principles for the Market Code are set out in The Water Services (Codes and Services) Directions 2007 which can be downloaded from the Commission's website (http://www.watercommissioner.co.uk/view_Directions.aspx)