

CMA Bulletin

To: CMA MEMBERS
No: BU090
Title: September Software Release v3.4
Purpose: For Information
Expiry date: 28 September 2012
Attachment:
From: Gary Craig
Date: 21 Sept 2012

This Bulletin is to inform Market Participants that the new Central Systems Software, version 3.4, will be released to the Central Systems Production Environment on Thursday 27 September 2012 after the Market closes.

The Market will close as normal at 18:00 on 27 September to facilitate the Release and will open as normal at 08:00 on Friday 28 September 2012.

The Release Schedule is as follows;

Environment	Release Date	Available for use
Central Systems Production	Thursday 27/09/2012, after Market close.	Friday 28/09/2012, at Market opening.

The release is delivering the following Approved Changes:

CP Reference	Title	Description of Change
CMACP146	Settlement process improvements	<p>This change is largely internal to the CMA. Participants will notice enhanced Disaggregated reports showing:</p> <ul style="list-style-type: none"> Disaggregated files will be zipped and have the same date which is stripped of its timestamp that the Aggregated Reports Use e.g. [old] X22_SWW_11CP06SEPR2_20111128162711 will be [new] X22_SWW_11CP06SEPR2_20111128000000; i.e. the date stamp yyyyMMddhhmmss in the report name (zip file and pipe-delimited text file) is stripped from its timestamp to be yyyyMMdd000000; with yyyyMMdd is the Scheduled Event Run Date. The corresponding timestamp field inside the reports will match the new behaviour of the date in the filename. i.e. appear as yyyyMMdd000000 Uniform and consistent ordering of the rows provided in the Disaggregated Reports based in report to the following columns (in ascending order): <ul style="list-style-type: none"> Supply Point ID Service Component Service Element Discriminator ID Meter ID Licensed Provider ID All zero values will show with a leading zero e.g. [old] .00 whereas [new] 0.00 If a Supply point has a Meter Network flag, this flag will only show on the Disaggregated Meter Related line for the SPID
CMACPx104	Minor LVI issues	A large number of minor LVI changes have been implemented which for LVI users will lead to a more stable and reliable LVI. For example, where erroneous data is entered into the Central Systems error messages will now be returned to better inform users.
CMACPx105	T009.0s vs. T009.1s	T009s will now always be returned as per the CSDs i.e. T009.0s to LPs and T009.1s to the Wholesaler.
CMACPx106	Crystallising Trade Effluent data	Trade Effluent Database tables have now been brought into line with other CS Database Tables. Changes via Transactions will now not be accepted if the effective date in the transaction predates a previous change.
MCCP101	Minor validation and error message improvements	<p>Error code description changes:</p> <p>BD Deprecated error code. See code EM or HB</p>

		EH A read for this date already exists
		New Error codes:
		HA The meter read date is less than "2007-04-01"
		HB The SPID has never been declared Unmeasurable
		HC You cannot swap a meter with itself
		HD It is not safe to change the number of digits on the meter
		HE Meter Read digit count is greater than the meter digit count
		HF Wholesaler cannot send a cyclic, customer, AMR or a Transfer read for a market meter
		HG An exact duplicate of this meter read already exists
		HH Meter reads cannot be submitted for a sewerage SPID
		HI The specified SPID does not relate to the meter or the Sender is not valid
		HJ A SPID has been specified or the Sender is not valid

If you have any questions please do not hesitate to get in touch.

Regards

Gary Craig

CentralMarketAgency

Market Delivery Manager

48 Enterprise House, Springkerse Business Park, Stirling, FK7 7UF

t 01786 468867 | e gary.craig@cmascotland.co.uk | w www.cmascotland.co.uk

