

Trade Effluent Notice

**Application for a New or Modification to an Existing Consent to Discharge
Trade Effluent to the Public Sewerage System**

(in accordance with the Sewerage (Scotland) Act 1968)

1. Licensed Provider Details

Name of Licensed Provider: _____

Licensed Provider ID: _____

Contact Name: _____

Contact Number: _____

Contact E-mail: _____

2. Details of Occupier or Prospective Occupier

Please quote any Supply Point
ID given to your premises _____

2.1 Trade Premises Address (to which this Consent Notice applies)

Company Name: _____

Address of Premises: _____

Postcode: _____

Phone Number: _____

Fax Number: _____

E-mail Address: _____

Contact Name: _____

After hours contact:

Name: _____

Phone Number: _____

Registered Office Address (if different from Trade Premises Address)

Company Name: _____

Company Address: _____

Postcode: _____

Phone Number: _____

Fax Number: _____

Company Registration No: _____

2.2 Details of Site Owner (if different from Trade Premises Address)

Name: _____

Address: _____

Postcode: _____

Phone Number: _____

3. Type of Application

This application relates to:

- a) Proposed discharge for which no consent exists
- b) Modification to an existing consent
- c) Renewal of existing consent
- d) Change of occupier
- e) Discontinuation of Trade Effluent Services
- f) Termination of consent

4. Trade Effluent Description

Trade conducted at the premises:

Describe in detail the processes from which the Trade Effluent arises

Effluent treatment to be given at site:
(e.g. Oil separation, Balancing, pH correction, Chemical or Biological treatment)

Nature, composition and temperature of Trade Effluent draining to public sewer:

Chemicals stored on site:
(list on a separate sheet if necessary)

Maximum quantity to be discharged:
(m³ per 24 hours)

Maximum rate of discharge:
(litres per second)

Period(s) of discharge:
(normal working hours during day)

Method of measuring discharge flow _____
(please indicate if there is a flow
meter and give details of type, make
and model if appropriate) _____

Proposed starting date for discharge _____
(or approximate starting date for
an existing discharge)

5. Drawings

Please enclose drainage drawings showing point of entry into public sewer, appropriately coloured as follows:

Red – Public sewer Blue – Surface water
Green – Trade Effluent Brown – Domestic waste

6. Water Consumption

Average water consumption (m^3 per day) _____

Average consumption from sources other
than public supply (e.g. borehole, river,
sea etc.) (m^3 per day) _____

Average number of days worked per week
and weeks per year _____

Any regular or seasonal closure _____

Number of full time equivalent employees
working at the premises _____

Number of shifts worked per day _____

7. Water Loss

Estimated water used on site and not discharged to sewer –
e.g. ice making or water used in products such as soft drinks

(i) by evaporation _____ (m^3 per day)

(ii) in product _____ (m^3 per day)

(iii) Other:

Volume lost _____ (m^3 per day)

and specify how lost _____

8. Declaration by the Occupier or Prospective Occupier

The occupier/prospective occupier must complete and sign this Section for Application types (a) to (d) and (f) – see Section 3

I believe the information given above is true and accurate.

Signature: _____ Date: _____

Full name (in capitals): _____

Role in the company or job
title: _____

9. Declaration by the Licensed Provider

The Licensed Provider must complete and sign this Section for Application types (b) to (f) and for Application type (a) when applying on behalf of the occupier or prospective occupier – see Section 3.

I believe the information given above is true and accurate.

Signature: _____ Date: _____

Full name (in capitals): _____